POLLING PLACE AND REGISTRATION SITE ACCESS

•	
LOCATION: 450 Washington 5	5t DATE: 9/18/20
<i>o</i>	ECINCT: 1
SURVEYOR: Kenneth R. Cimeno SUF	RVEYOR: Pad M Munchbad
SURVEYOR: Kenneth R. Cimenosus TITLE: Building Commissioner	TITLE: TOWN CLONK
This checklist is based on the Secretary of the accessibility 950 CMR 51:00. To complete the	e Commonwealth's regulations for polling place nis survey, you will need a level and a tape measur blow, any issues that need further clarification.
1. Site access (Path of Travel):	
(a) The paths of travel to the polling place reasonably lit, and unobstructed.	ce from the parking lot and from the street are clea
changes in level greater than 1/2 inch.	surfaces, not interrupted by steps or abrupt
the polling place.	ubstantially similar distance for all persons entering
Comments (City/Town Representative):	Comments (Monitor):
Town of Dedham Building Department Dedham Town Hall 26 Bryant Street Dedham, MA 02026	
Kenneth R. Cimeno Building Commissioner Telephone: (781) 751-9180 Cell: (781) 727-1007 Fax: (781) 751-9189 Email: kcimeno@dedham-ma.gov	
Office Hours: 8:30-10:00AM	

2. Parking:	
(a) The required number of handicann	ed parking spaces is provided as follows:
total no. of parking spaces	no. of handicapped spaces required
1 - 25	1
26 - 50	2
51 - 75	3
76 - 100	4
101 - 150	5
151 - 200	6
201 - 300	7
301 - 400	8 9
401 - 500	2% of total
501 -1,000 1,001 and over	20 plus 1 for each 100 over 1,000
1,001 and over	20 plus 1 for each 100 over 1,000
(b) for parking lots striped prior to 9/1/96:	:
(1) The handicapped parking spaceess aisle which is painted or stripe	paces are 8 feet wide and have an adjacent 4 foot ed yellow. The parking lot is reasonably lit.
(2) The handicapped parking sp spaces containing the International S between 5 and 8 feet high above the	aces are identified by a sign at each space or pair of symbol of Accessibility, with the top of the sign ground.
(c) for parking lots striped after 9/1/96:	
(1) The handicapped parking spacess aisle which is marked by high delineation. The parking lot is reason	paces are 8 feet wide and have an adjacent 5 foot contrast painted lines or other high contrast ably lit.
must be van accessible, but no less t	cessible" space. (one in every eight accessible spaces than one) This space is 8 feet wide and has an ich is marked by high contrast painted lines or other ig lot is reasonable lit.
International Symbol of Accessibility,	space is identified by a sign containing the with the top of the sign between 5 and 8 feet high paces shall include the words "Van Accessible."
(d) Any sidewalk provided at the hand (sidewalk ramp), with a slope no greater that	icapped parking spaces has a curb cut in 1:12, at each space or pair of spaces.
NIA (e) If no parking lot is available, there itemporarily designated as a handicapped paper.	is at least one on-street parking space which is at least arking space during the election in front of the polling
Comments (City/Town Representative):	Comments (Monitor):

·	
3. Entrance	•
(a) At least one entrance to the building	is accessible.
(b) The approach to the accessible entruninterrupted by steps or changes in level grefrom the door on both the exterior and interior	ance is a paved walk or ramp with a non-slip surface eater than 1/2 inch. There is a level space 60 inches r sides.
(c) Lever handles or other accessible had operated with a closed fist.	ardware are provided on doors, so that they may be
(d) Doorways are at least 32 inches cleabove the floor.	ar width. Door thresholds are no higher than 1/2 inch
<u>১০।</u> (e) If the main entrance is not accessible	le, signs direct people to the accessible entrance.
୬\� (f) If the accessible entrance is not the without assistance during the same hours as	main entrance, it is unlocked and able to be used the main entrance.
Comments (City/Town Representative):	Comments (Monitor):

N\\(\hat{\hat{h}}\) (a) If the entrance has stairs, there is examp has a slope no steeper than 1:12.	either a permanent or portable ramp. If permanent, th
<u>ນໃ</u> k (b) The ramp is at least 48 inches wide	e.
NA (c) The ramp has two pairs of handra are set in pairs, one at a height between 34 and 20 inches.	ils along both sides that are round or oval in shape an and 38 inches and a lower one at a height between 1
guards at least two inches high on both side	
(e) Please describe the portable ramp (if ap	plicable):
-	
Comments (City /Town Representative):	Comments (Monitor):

4. Ramps

5. Building Interior

(a) All interior doors, approaches, an	nd ramps necessary to obtain access to the polling place
comply with 3 and 4 above.	
(b) An accessible route which provide wide is maintained inside the polling place	des a continuous unobstructed path at least 36 inches and shall coincide with the route for the general public.

Comments (City/Town Representative):	Comments (Monitor):

6. Voting Equipment

N(h (a) All Polls - A sample ballot will be posted on the wall no higher than 48 inches above the floor.

- NA (b) Paper or Datavote ballots At least one marking shelf (one for each party in a primary for Datavote) provides a clear space under it at least 30 inches wide, at least 27 inches clear to the underside, and no more than 32 inches high to the top. Any Datavote stylus handle is at least 1 1/4 inches thick and at least 3 inches long.
- ____(c) Voting machines At least one machine has a sample ballot posted inside, not higher than 48 inches.
 - **Value** Voting levers are no higher than 48 inches above the floor, or a "reacher" is available for the upper levels.

Comments (City/Town Representative): Comments (Monitor):

Whow Polling Location is

SET UP A SAMPLE BAHOT WILL

BE posted on the WALL NO

Higher than 48 inches Above

The Ploon.

PMM

PLEASE SEND THE COMPLETED SURVEY TO:

OFFICE OF THE SECRETARY OF THE COMMONWEALTH
ATTN: Bridget Simmons Murphy
Office of the Secretary of the Commonwealth
Elections Division
1 Ashburton Place, 17th floor
Boston, MA 02108